

# Microorganisms



**ORDERING NOTES: Indicate format when ordering (CS, DP, CP, CP+, 2P, CQ plus Order #).**

1. (CS) Inocu-Swabs consists of a lyophilized pellet inside a culture system containing a sterile swab and rehydration fluid for the transfer of the organisms directly to culture media. Sold in sets of 5. Minimum order of 2 sets.
2. (DP) Inocu-Swabs Duo Pack consists of 2 Inocu-Swabs per set. Minimum order of 2 sets.
3. (CP) Inocu-Pellets consists of 10 lyophilized pellets of one organism inside a vial. No rehydration fluid is provided. Sold individually.
4. (CP+) Inocu-Pellets Plus consists of 5 vials containing 1 lyophilized pellet per vial plus 5 vials containing 1mL of Rehydration Fluid. 5 per Set.
5. (CQ) Inocu-Pellets Quantitative consists of a lyophilized pellet that yields 10 doses of 10-100 CFU's/0.1 mL. Rehydration fluid is provided. 5 per Set.
6. (2P) Inocu-Swabs within 2 Passages. 5 per Set. Minimum order of 2 sets.

**PRICING: (2 Package Minimum Order for all formats)**

DP: INOCU SWABS, DUO-PACK: 2 Swabs per package.

CS: INOCU-SWABS, 5 PACK: 5 Swabs per package.

CP+: INOCU-PELLETS PLUS: 5 Pellets (Individually packaged) + 5 Rehydration Vials per package.

CP: INOCU-PELLETS: 10 Pellets per Vial

CQ: INOCU-PELLETS QUANTITATIVE: 5 Pellets (Individually packaged) + 5 Rehydration Vials per package. (CFU range 10-100 per dose)

2P: INOCU-SWABS 2 PASSAGES, 5 PACK: 5 Swabs per package.

Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Abiotrophia defectiva	49176™*	49176	D	2	
Achromobacter xylosoxidans	27061™*	27061	D	2	
Acinetobacter baumannii	19606™*	1007	B	2	
Acinetobacter baumannii	BAA-747™*	BAA747	D	2	
Acinetobacter lwoffii	17925™*	0503	D	2	
Acinetobacter sp. AmMS 243	49466™*	1008	C	2	
Acinetobacter sp. AmMs 202	49139™*	0501	C	2	
Acinetobacter sp. AmMS 203	49137™*	1002	C	2	

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

21

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.



# Microorganisms



Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Actinobacillus pleuropneumoniae	27090 <sup>TM*</sup>	27090	D	2	
Actinomyces odontolyticus	17929 <sup>TM*</sup>	0500	D	2	
Actinomyces viscosus	15987 <sup>TM*</sup>	15987	D	2	
Aerococcus viridans	700406 <sup>TM*</sup>	0006	D	1	
Aeromonas hydrophila	35654 <sup>TM*</sup>	1013	C	2	
Aeromonas hydrophila	7966 <sup>TM*</sup>	1020	C	2	
Aeromonas hydrophila AmMS 199	49140 <sup>TM*</sup>	1003	C	2	
Aeromonas salmonicida	33658 <sup>TM*</sup>	0058	D	1	
Alcaligenes faecalis	8750 <sup>TM*</sup>	1006	C	1	
Alcaligenes faecalis	35655 <sup>TM*</sup>	1011	C	1	
Arcanobacterium pyogenes	49698 <sup>TM*</sup>	0502	D	2	
Arcanobacterium pyogenes	19411 <sup>TM*</sup>	19411	D	2	
Aspergillus brasiliensis	16404 <sup>TM*</sup>	1100	D	1	Antimicrobial preservative testing.
Bacillus amyloliquefaciens	23842 <sup>TM*</sup>	23842	D	1	
Bacillus cereus	14579 <sup>TM*</sup>	1217	D	1	
Bacillus cereus	11778 <sup>TM*</sup>	1220	B	1	FDA Strain.
Bacillus cereus	10876 <sup>TM*</sup>	0998	B	1	
Bacillus circulans	4513 <sup>TM*</sup>	4513	A	1	
Bacillus licheniformis	14580 <sup>TM*</sup>	14580	D	1	
Bacillus megaterium	6458 <sup>TM*</sup>	6458	D	1	
Bacillus pumilus	21143 <sup>TM*</sup>	21143	D	1	
Bacillus subtilis	6633 <sup>TM*</sup>	1221	B	1	Sterility testing.
Bacteroides fragilis	23745 <sup>TM*</sup>	1251	C	2	
Bacteroides fragilis	25285 <sup>TM*</sup>	1250	D	2	
Bacteroides ovatus	BAA1296 <sup>TM*</sup>	BAA1296	C	2	
Bacteroides ovatus	BAA1304 <sup>TM*</sup>	BAA1304	C	2	
Bacteroides ovatus	8483 <sup>TM*</sup>	1222	C	2	
Bacteroides thetaiotaomicron	29741 <sup>TM*</sup>	1260	C	2	
Bacteroides uniformis	8492 <sup>TM*</sup>	1259	C	2	
Bacteroides ureolyticus	33387 <sup>TM*</sup>	1201	C	2	
Bacteroides vulgatus	8482 <sup>TM*</sup>	1261	C	2	Sterility testing.
Bacteroides vulgatus	29327 <sup>TM*</sup>	1262	D	2	Antibiotic disc susceptibility testing.
Bordetella bronchiseptica	10580 <sup>TM*</sup>	1224	C	2	
Bordetella bronchiseptica	4617 <sup>TM*</sup>	1223	D	2	
Bordetella parapertussis	15311 <sup>TM*</sup>	15311	D	2	
Bordetella pertussis	8467 <sup>TM*</sup>	0489	D	2	
Brevundimonas diminuta	19146 <sup>TM*</sup>	19146	D	1	
Brevundimonas diminuta	19146 <sup>TM*</sup>	19146	D	1	
Burkholderia cepacia	25608 <sup>TM*</sup>	1232	B	2	
Burkholderia cepacia	25416 <sup>TM*</sup>	5220	C	2	
Campylobacter coli	43478 <sup>TM*</sup>	43478	D	2	
Campylobacter jejuni	29428 <sup>TM*</sup>	0325	D	2	
Campylobacter jejuni	33291 <sup>TM*</sup>	1400	D	2	
Campylobacter jejuni	33292 <sup>TM*</sup>	7070	D	2	
Campylobacter jejuni	49943 <sup>TM*</sup>	49943	D	2	
Candida albicans	36232 <sup>TM*</sup>	1239	D	1	
Candida albicans	14053 <sup>TM*</sup>	1501	D	1	
Candida albicans	60193 <sup>TM*</sup>	1502	D	1	
Candida albicans	10231 <sup>TM*</sup>	1503	D	1	
Candida albicans AmMS 225	66027 <sup>TM*</sup>	1495	D	1	
Candida glabrata	2001 <sup>TM*</sup>	1504	D	1	

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

22

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.



# Microorganisms



Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Candida glabrata	15126 <sup>TM*</sup>	0040	C	1	
Candida glabrata AmMS 231	66032 <sup>TM*</sup>	1511	D	1	
Candida guilliermondii	6260 <sup>TM*</sup>	1521	D	1	
Candida kefyr	2512 <sup>TM*</sup>	1507	D	1	
Candida kefyr AmMS 226	66028 <sup>TM*</sup>	1512	D	1	
Candida krusei	14243 <sup>TM*</sup>	1510	D	1	
Candida parapsilosis	34136 <sup>TM*</sup>	1515	D	1	
Candida parapsilosis	22019 <sup>TM*</sup>	1518	D	1	
Candida tropicalis AmMS 227	66029 <sup>TM*</sup>	1517	D	1	
Cardiobacterium hominis	14900 <sup>TM*</sup>	9031	D	2	
Chryseobacterium indologenes	49471 <sup>TM*</sup>	49471	D	2	
Citrobacter freundii	8454 <sup>TM*</sup>	8454	D	1	
Citrobacter freundii	8090 <sup>TM*</sup>	1800	C	1	
Citrobacter freundii	43864 <sup>TM*</sup>	43864	A	1	
Clostridium ramosum	13937 <sup>TM*</sup>	9030	D	1	
Clostridium difficile	9689 <sup>TM*</sup>	1610	D	2	
Clostridium histolyticum	19401 <sup>TM*</sup>	1601	C	2	
Clostridium novyi	7659 <sup>TM*</sup>	1605	D	2	
Clostridium perfringens	13124 <sup>TM*</sup>	1600	D	2	Produces lecithinase C.
Clostridium septicum	12464 <sup>TM*</sup>	12464	C	2	
Clostridium sordellii	9714 <sup>TM*</sup>	1602	C	2	
Clostridium sporogenes	19404 <sup>TM*</sup>	1700	C	1	Sterility testing.
Clostridium sporogenes	3584 <sup>TM*</sup>	1701	D	1	
Clostridium sporogenes	11437 <sup>TM*</sup>	1703	D	1	
Corynebacterium pseudodiphtheriticum	10700 <sup>TM*</sup>	1902	C	1	
Corynebacterium pseudodiphtheriticum	10701 <sup>TM*</sup>	10701	C	1	
Corynebacterium striatum	BAA1293 <sup>TM*</sup>	BAA1293	D	1	
Corynebacterium xerosis	373 <sup>TM*</sup>	1905	D	1	
Cronobacter muytjensii	51329 <sup>TM*</sup>	51329	D	2	
Cryptococcus albidus	10666 <sup>TM*</sup>	1811	D	1	
Cryptococcus albidus	34140 <sup>TM*</sup>	1813	D	2	
Cryptococcus albidus AmMS 228	66030 <sup>TM*</sup>	1710	D	2	
Cryptococcus humicola	9949 <sup>TM*</sup>	1101	C	1	
Cryptococcus laurentii	66036 <sup>TM*</sup>	1711	D	2	
Cryptococcus laurentii	18803 <sup>TM*</sup>	1241	D	1	
Cryptococcus laurentii	76483 <sup>TM*</sup>	1910	D	1	
Cryptococcus luteolus	10671 <sup>TM*</sup>	10671	D	1	
Cryptococcus neoformans	66031 <sup>TM*</sup>	1712	D	2	
Cryptococcus neoformans	32045 <sup>TM*</sup>	0334	D	2	
Cryptococcus neoformans	14116 <sup>TM*</sup>	1812	D	2	
Cryptococcus neoformans	76484 <sup>TM*</sup>	1912	D	2	
Cryptococcus uniguttulatus	66033 <sup>TM*</sup>	1713	D	1	
Cryptococcus neoformans	34877 <sup>TM*</sup>	34877	D	2	
Delftia acidovorans	15668 <sup>TM*</sup>	15668	D	1	
Eggerthella lenta	43055 <sup>TM*</sup>	1951	D	1	
Elizabethkingia meningoseptica	13253 <sup>TM*</sup>	2002	C	2	
Enterobacter aerogenes	13048 <sup>TM*</sup>	7080	B	1	
Enterobacter aerogenes	35028 <sup>TM*</sup>	7081	B	1	
Enterobacter cloacae	13047 <sup>TM*</sup>	7090	A	1	
Enterobacter cloacae	23355 <sup>TM*</sup>	7091	B	1	
Enterobacter cloacae	49141 <sup>TM*</sup>	1972	C	1	

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

23

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.



# Microorganisms



Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Enterobacter cloacae	700323 <sup>TM*</sup>	700323	C	1	
Enterobacter gergoviae	33028 <sup>TM*</sup>	1940	D	2	
Enterococcus avium	14025 <sup>TM*</sup>	7028	C	1	
Enterococcus durans	11576 <sup>TM*</sup>	1957	C	1	
Enterococcus durans	19432 <sup>TM*</sup>	7029	C	1	
Enterococcus durans	6056 <sup>TM*</sup>	7032	C	1	
Enterococcus durans	49135 <sup>TM*</sup>	7086	C	1	
Enterococcus durans	49479 <sup>TM*</sup>	1952	D	1	
Enterococcus durans	11576 <sup>TM*</sup>	1957	C	1	
Enterococcus durans	19432 <sup>TM*</sup>	7029	C	1	
Enterococcus faecalis	19433 <sup>TM*</sup>	1990	C	2	
Enterococcus faecalis	33186 <sup>TM*</sup>	4620	D	2	
Enterococcus faecalis	51299 <sup>TM*</sup>	1996	C	2	Vancomycin resistant.
Enterococcus faecalis	29212 <sup>TM*</sup>	7030	C	2	
Enterococcus faecalis AmMS 161	49149 <sup>TM*</sup>	7087	C	2	
Enterococcus faecium	6057 <sup>TM*</sup>	6057	C	2	
Enterococcus faecium	35667 <sup>TM*</sup>	1956	C	2	
Enterococcus gallinarum	700425 <sup>TM*</sup>	0025	D	1	
Enterococcus hirae	10541 <sup>TM*</sup>	10541	C	1	
Enterococcus raffinosus	49464 <sup>TM*</sup>	1994	C	1	
Epidermophyton floccosum	52066 <sup>TM*</sup>	1977	C	2	
Erysipelothrix rhusiopathiae	19414 <sup>TM*</sup>	1978	C	2	
Escherichia coli	10536 <sup>TM*</sup>	10536	D	1	
Escherichia coli	11229 <sup>TM*</sup>	11229	D	1	
Escherichia coli	11303 <sup>TM*</sup>	11303	D	1	
Escherichia coli	51755 <sup>TM*</sup>	51755	D	1	
Escherichia coli	35150 <sup>TM*</sup>	1970	C	2	(Serotype O157:H7); Cytotoxic activity.
Escherichia coli	35218 <sup>TM*</sup>	1971	C	1	Produces beta lactamase.
Escherichia coli	11775 <sup>TM*</sup>	1989	C	1	
Escherichia coli	25922 <sup>TM*</sup>	7050	B	1	FDA strain; Antibiotic susceptibility testing.
Escherichia coli	14948 <sup>TM*</sup>	1969	D	1	
Escherichia coli	43890 <sup>TM*</sup>	43890	D	2	
Escherichia coli	43894 <sup>TM*</sup>	43894	C	2	
Escherichia coli	8739 <sup>TM*</sup>	7085	C	1	
Escherichia coli	51446 <sup>TM*</sup>	1446	C	2	
Exiguobacterium aurantiacum	49676 <sup>TM*</sup>	1900	D	2	Group A.
Finegoldia magna	29328 <sup>TM*</sup>	5002	C	1	
Fluoribacter bozemanae	33217 <sup>TM*</sup>	33217	D	2	
Fusobacterium nucleatum	25586 <sup>TM*</sup>	2010	C	2	
Gardnerella vaginalis	14018 <sup>TM*</sup>	2050	C	2	
Gardnerella vaginalis	49145 <sup>TM*</sup>	2051	C	2	
Geobacillus stearothermophilus	7953 <sup>TM*</sup>	1219	D	1	
Geobacillus stearothermophilus	12976 <sup>TM*</sup>	12976	D	1	
Geobacillus stearothermophilus	12980 <sup>TM*</sup>	12980	C	1	
Geotrichum capitatum	10663 <sup>TM*</sup>	6800	D	1	
Haemophilus aphrophilus	19415 <sup>TM*</sup>	3002	C	1	No longer requires X factor for growth.
Haemophilus haemolyticus	33390 <sup>TM*</sup>	3790	B	2	
Haemophilus influenzae	9833 <sup>TM*</sup>	9034	D	2	Biovar I
Haemophilus influenzae	CL 511 <sup>TM*</sup>	3800	C	2	Derived from clinical strain.
Haemophilus influenzae	49144 <sup>TM*</sup>	3801	C	2	

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

24

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.



# Microorganisms



Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Haemophilus influenzae	49766 <sup>TM*</sup>	3806	C	2	
Haemophilus influenzae	49247 <sup>TM*</sup>	3830	C	2	
Haemophilus influenzae	35056 <sup>TM*</sup>	3840	D	2	
Haemophilus influenzae	19418 <sup>TM*</sup>	3851	C	2	Biovar III
Haemophilus influenzae	19418 <sup>TM*</sup>	3851	C	2	Biovar III
Haemophilus influenzae	33930 <sup>TM*</sup>	3903	C	2	Resistant to ampicillin, chloramphenicol, tetracycline.
Haemophilus influenzae Type B	10211 <sup>TM*</sup>	3810	C	2	
Haemophilus influenzae Type B	33533 <sup>TM*</sup>	3900	C	2	Produces beta lactamase.
Haemophilus influenzae Type A	9006 <sup>TM*</sup>	3805	B	2	
Haemophilus parahaemolyticus	10014 <sup>TM*</sup>	3003	C	2	
Haemophilus parainfluenzae	51505 <sup>TM*</sup>	1505	C	2	
Haemophilus parainfluenzae	7901 <sup>TM*</sup>	4000	C	2	
Haemophilus paraphrophilus	49146 <sup>TM*</sup>	3901	C	2	
Haemophilus paraphrophilus	49917 <sup>TM*</sup>	49917	C	2	
Issatchenkia orientalis	6258 <sup>TM*</sup>	6258	D	1	
Klebsiella pneumoniae	BAA1705 <sup>TM*</sup>	BAA1705	C	2	
Klebsiella pneumoniae	BAA1706 <sup>TM*</sup>	BAA1706	C	2	
Klebsiella pneumoniae	10031 <sup>TM*</sup>	3930	C	2	
Kingella kingae	23330 <sup>TM*</sup>	23330	D	2	
Klebsiella oxytoca	43086 <sup>TM*</sup>	3006	C	2	
Klebsiella oxytoca	49131 <sup>TM*</sup>	7019	B	2	
Klebsiella oxytoca	700324 <sup>TM*</sup>	700324	D	2	
Klebsiella pneumoniae	23357 <sup>TM*</sup>	3921	D	2	
Klebsiella pneumoniae	31488 <sup>TM*</sup>	31488	D	2	
Klebsiella pneumoniae	700603 <sup>TM*</sup>	7603	D	2	
Klebsiella pneumoniae	33495 <sup>TM*</sup>	7021	C	2	
Klebsiella pneumoniae	27736 <sup>TM*</sup>	7031	A	2	
Klebsiella pneumoniae	13883 <sup>TM*</sup>	7037	A	2	
Klebsiella pneumoniae	9997 <sup>TM*</sup>	3915	D	2	
Klebsiella pneumoniae	35657 <sup>TM*</sup>	3922	D	2	
Kocuria kristinae	BAA-752 <sup>TM*</sup>	BAA752	D	1	
Kocuria rhizophila	9341 <sup>TM*</sup>	4075	D	1	
Kocuria rhizophila	533 <sup>TM*</sup>	4070	C	1	
Kocuria rhizophila	9341 <sup>TM*</sup>	4075	D	1	
Kocuria rosea	186 <sup>TM*</sup>	0186	D	1	
Kurthia gibsonii	43195 <sup>TM*</sup>	43195	D	1	
Lactobacillus acidophilus	4356 <sup>TM*</sup>	3007	D	1	
Lactobacillus casei	393 <sup>TM*</sup>	3008	D	1	
Lactobacillus plantarum	8014 <sup>TM*</sup>	8014	D	1	
Lactobacillus rhamnosus	7469 <sup>TM*</sup>	7469	D	1	
Lactococcus lactis subsp. lactis	11454 <sup>TM*</sup>	3925	D	1	
Leclercia adecarboxylata	23216 <sup>TM*</sup>	3926	B	1	
Listeria grayi	25401 <sup>TM*</sup>	2540	D	1	
Listeria innocua	33090 <sup>TM*</sup>	33090	D	1	
Listeria ivanovii	19119 <sup>TM*</sup>	0016	D	2	
Listeria monocytogenes	BAA751 <sup>TM*</sup>	BAA751	D	2	
Listeria monocytogenes	7644 <sup>TM*</sup>	3970	D	2	
Listeria monocytogenes	19111 <sup>TM*</sup>	19111	D	2	
Listeria monocytogenes	19117 <sup>TM*</sup>	19117	D	2	
Listeria seeligeri	35967 <sup>TM*</sup>	35967	D	1	

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

25

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.



# Microorganisms



Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Listeria welshimeri	35897 <sup>TM*</sup>	35897	D	1	
Lysinibacillus sphaericus	4525 <sup>TM*</sup>	1229	D	1	
Macroccoccus caseolyticus	35662 <sup>TM*</sup>	8208	B	2	
Malassezia furfur	14521 <sup>TM*</sup>	9921	D	2	
Micrococcus luteus	10240 <sup>TM*</sup>	10240	D	1	
Micrococcus luteus	49732 <sup>TM*</sup>	4080	C	1	
Micrococcus luteus	4698 <sup>TM*</sup>	4698	D	1	
Micrococcus sp.	700405 <sup>TM*</sup>	0005	D	1	
Microsporium canis	11621 <sup>TM*</sup>	4100	D	2	
Moraxella (Branhamella) catarrhalis	23246 <sup>TM*</sup>	2324	D	1	
Moraxella (Branhamella) catarrhalis	49143 <sup>TM*</sup>	1227	C	1	
Moraxella (Branhamella) catarrhalis	8176 <sup>TM*</sup>	1228	C	1	
Moraxella (Branhamella) catarrhalis	25238 <sup>TM*</sup>	1230	C	1	
Moraxella (Branhamella) catarrhalis	25240 <sup>TM*</sup>	1231	C	1	
Moraxella osloensis	10973 <sup>TM*</sup>	4020	C	2	
Morganella morganii	25830 <sup>TM*</sup>	25830	D	2	
Myroides odoratus	4651 <sup>TM*</sup>	2003	D	1	
Neisseria gonorrhoeae	19424 <sup>TM*</sup>	7041	C	2	
Neisseria gonorrhoeae	43069 <sup>TM*</sup>	7043	C	2	
Neisseria gonorrhoeae	49981 <sup>TM*</sup>	7075	D	2	
Neisseria gonorrhoeae	31426 <sup>TM*</sup>	7042	C	2	CDC 6-73389. Produces beta lactamase.
Neisseria gonorrhoeae	43070 <sup>TM*</sup>	7044	C	2	CDC Ng-98.
Neisseria gonorrhoeae	49226 <sup>TM*</sup>	9006	C	2	CDC 10,001.
Neisseria lactamica	23970 <sup>TM*</sup>	7045	C	2	
Neisseria lactamica	23971 <sup>TM*</sup>	7145	C	2	
Neisseria lactamica AmMS 118	49142 <sup>TM*</sup>	4027	C	2	
Neisseria meningitidis	13090 <sup>TM*</sup>	7049	B	2	Serogroup B.
Neisseria meningitidis	13077 <sup>TM*</sup>	7048	C	2	Serogroup A.
Neisseria meningitidis	13102 <sup>TM*</sup>	9007	B	2	Serogroup C.
Neisseria mucosa	19695 <sup>TM*</sup>	7150	C	2	
Neisseria perflava	14799 <sup>TM*</sup>	7046	C	1	
Neisseria sicca	9913 <sup>TM*</sup>	7047	C	1	Atypical.
Nocardia asteroides	19247 <sup>TM*</sup>	7158	D	2	
Nocardia brasiliensis	19296 <sup>TM*</sup>	9011	D	2	
Nocardia farcinica	3308 <sup>TM*</sup>	7156	D	2	
Ochrobactrum anthropi	49687 <sup>TM*</sup>	49687	D	1	
Oligella ureolytica	43534 <sup>TM*</sup>	4175	C	1	
Oligella urethralis	17960 <sup>TM*</sup>	4022	C	2	
Paenibacillus polymyxa	842 <sup>TM*</sup>	0842	D	1	
Parabacteroides distasonis	BAA1295 <sup>TM*</sup>	BAA1295	D	2	
Parabacteroides distasonis	8503 <sup>TM*</sup>	1226	C	2	Production of catalase/ superoxide dismutase.
Parvimonas micra	33270 <sup>TM*</sup>	7203	C	1	
Pasteurella multocida	43137 <sup>TM*</sup>	7201	C	2	
Penicillium chrysogenum	10106 <sup>TM*</sup>	7202	D	1	Produces chrysogenum.
Peptoniphilus asaccharolyticus	29743 <sup>TM*</sup>	5001	C	2	
Peptostreptococcus anaerobius	27337 <sup>TM*</sup>	7051	C	1	Proline requirement for glucose utilization.
Phytophthora sojae	48069 <sup>TM*</sup>	48069	D	1	
Plesiomonas shigelloides	14029 <sup>TM*</sup>	5035	D	2	
Plesiomonas shigelloides	51903 <sup>TM*</sup>	7218	B	2	
Porphyromonas gingivalis	33277 <sup>TM*</sup>	9008	C	2	

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

26

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.



# Microorganisms



Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Porphyromonas levii	29147 <sup>TM*</sup>	1263	C	2	Requires Vitamin K; inhibited by monosaccharides.
Prevotella intermedia	15032 <sup>TM*</sup>	15032	D	2	
Prevotella loescheii	15930 <sup>TM*</sup>	15930	D	2	
Prevotella melaninogenica	25845 <sup>TM*</sup>	25845	D	2	
Propionibacterium acnes	11827 <sup>TM*</sup>	7052	C	1	
Proteus hauseri	13315 <sup>TM*</sup>	7057	B	2	
Proteus mirabilis	25933 <sup>TM*</sup>	25933	D	2	
Proteus mirabilis	43071 <sup>TM*</sup>	7073	B	2	
Proteus mirabilis	7002 <sup>TM*</sup>	7053	B	2	
Proteus mirabilis	12453 <sup>TM*</sup>	7059	B	2	
Proteus mirabilis	29245 <sup>TM*</sup>	7054	B	2	
Proteus mirabilis	29906 <sup>TM*</sup>	5055	B	2	
Proteus mirabilis	35659 <sup>TM*</sup>	7077	D	2	
Proteus vulgaris	8427 <sup>TM*</sup>	7058	B	2	
Proteus vulgaris	6380 <sup>TM*</sup>	7069	B	2	
Proteus vulgaris	49132 <sup>TM*</sup>	5151	B	2	
Providencia alcalifaciens	51902 <sup>TM*</sup>	5169	B	2	
Providencia stuartii	49809 <sup>TM*</sup>	5171	C	1	
Providencia stuartii	33672 <sup>TM*</sup>	5170	C	1	
Pseudomonas aeruginosa	9027 <sup>TM*</sup>	5210	B	2	
Pseudomonas aeruginosa	27853 <sup>TM*</sup>	7060	A	2	
Pseudomonas aeruginosa	10145 <sup>TM*</sup>	7065	B	2	
Pseudomonas aeruginosa	25619 <sup>TM*</sup>	7066	C	2	
Pseudomonas aeruginosa	25668 <sup>TM*</sup>	25668	D	2	
Pseudomonas aeruginosa	35422 <sup>TM*</sup>	5200	C	2	
Pseudomonas fluorescens	13525 <sup>TM*</sup>	7216	D	1	
Pseudomonas putida	49128 <sup>TM*</sup>	7074	C	1	
Pseudomonas sp.	19144 <sup>TM*</sup>	19144	D	1	
Pseudomonas stutzeri	17588 <sup>TM*</sup>	7211	D	1	
Ralstonia pickettii	49129 <sup>TM*</sup>	5209	C	1	
Rhizopus stolonifer	14037 <sup>TM*</sup>	7212	D	1	
Rhodococcus equi	6939 <sup>TM*</sup>	5400	C	2	
Saccharomyces cerevisiae	4098 <sup>TM*</sup>	6900	D	1	
Saccharomyces cerevisiae	9763 <sup>TM*</sup>	9763	D	1	
Saccharomyces cerevisiae	32701 <sup>TM*</sup>	32701	D	1	
Salmonella enterica	35640 <sup>TM*</sup>	35640	D	2	Serovar Abaetetuba
Salmonella enterica	9270 <sup>TM*</sup>	6006	C	2	Serovar Anatum
Salmonella enterica	13314 <sup>TM*</sup>	13314	D	2	subsp. arizonae
Salmonella enterica	13311 <sup>TM*</sup>	9311	D	2	subsp. enterica Serovar Typhimurium
Salmonella enterica	12011 <sup>TM*</sup>	0903	C	2	Serovar Choleraesuis var. Kunzendorf
Salmonella enterica	9150 <sup>TM*</sup>	0341	C	2	Serovar Paratyphi A
Salmonella enterica	19945 <sup>TM*</sup>	19945	D	2	Serovar Pullorum
Salmonella enterica	12002 <sup>TM*</sup>	0344	C	2	Serovar Tallahassee
Salmonella enterica	19430 <sup>TM*</sup>	0905	C	2	Serovar Typhi
Salmonella enterica	15611 <sup>TM*</sup>	0342	C	2	Serovar Vellore
Salmonella enterica	29631 <sup>TM*</sup>	6002	D	2	Serovar Typhimurium
Salmonella enterica	14028 <sup>TM*</sup>	6000	C	2	Serovar Typhimurium
Salmonella enterica	8759 <sup>TM*</sup>	6003	C	2	Serovar Paratyphi B
Salmonella enterica	13076 <sup>TM*</sup>	8200	C	2	Serovar Enteritidis
Salmonella enterica	6539 <sup>TM*</sup>	8203	C	2	Serovar Typhi

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

27

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.



# Microorganisms



Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Salmonella enterica	12325 <sup>TM</sup> *	12325	D	2	subsp. diarizonae
Salmonella enterica	29226 <sup>TM</sup> *	6001	C	2	subsp. diarizonae
Salmonella Group D, not typhi	CL BF-SD <sup>TM</sup> *	8202	C	2	Derived from clinical strain
Salmonella sp.	35664 <sup>TM</sup> *	35664	D	2	
Serratia liquefaciens	27592 <sup>TM</sup> *	8000	C	1	
Serratia marcescens	27857 <sup>TM</sup> *	27857	D	1	
Serratia marcescens	CLD1. <sup>TM</sup> *	D1	D	1	Derived from clinical strain
Serratia marcescens	8100 <sup>TM</sup> *	8001	B	1	Non-pigmented.
Serratia marcescens	13880 <sup>TM</sup> *	8002	D	1	
Serratia marcescens	14756 <sup>TM</sup> *	9004	D	1	FDA strain; testing of 0.4/0.45 micron filters. Red pigment.
Serratia odorifera	33077 <sup>TM</sup> *	2000	C	2	
Serratia rubidaea	33670 <sup>TM</sup> *	8010	B	1	
Shewanella putrefaciens	49138 <sup>TM</sup> *	1004	B	1	
Shewanella putrefaciens	8071 <sup>TM</sup> *	7071	B	1	
Shigella boydii	9207 <sup>TM</sup> *	8110	B	2	Group C; Serotype 1.
Shigella dysenteriae	13313 <sup>TM</sup> *	8115	B	2	Group A.
Shigella flexneri	12022 <sup>TM</sup> *	8101	C	2	Group B; Serotype 2b.
Shigella sonnei	9290 <sup>TM</sup> *	8151	B	2	Group D.
Shigella sonnei	25931 <sup>TM</sup> *	8150	C	2	Group D.
Sphingobacterium multivorum	35656 <sup>TM</sup> *	2004	C	2	
Sphingomonas trueperi	12417 <sup>TM</sup> *	12417	D	1	
Staphylococcus aureus	BAA-976 <sup>TM</sup> *	BAA976	D	2	
Staphylococcus aureus	BAA-977 <sup>TM</sup> *	BAA977	D	2	
Staphylococcus aureus	BAA-1026 <sup>TM</sup> *	BAA1026	D	2	
Staphylococcus aureus	12598 <sup>TM</sup> *	12598	C	2	
Staphylococcus aureus	31153 <sup>TM</sup> *	31153	C	2	
Staphylococcus aureus	33591 <sup>TM</sup> *	7003	B	2	Methicillin resistant.
Staphylococcus aureus	25904 <sup>TM</sup> *	7007	D	2	
Staphylococcus aureus	6538 <sup>TM</sup> *	7016	C	2	FDA strain; germicide testing.
Staphylococcus aureus	33862 <sup>TM</sup> *	7008	B	2	
Staphylococcus aureus	51153 <sup>TM</sup> *	6508	C	2	
Staphylococcus aureus	12600 <sup>TM</sup> *	6507	C	2	
Staphylococcus aureus	49476 <sup>TM</sup> *	6510	D	2	
Staphylococcus aureus	25923 <sup>TM</sup> *	7010	A	2	FDA strain; antibiotic susceptibility testing.
Staphylococcus aureus	29213 <sup>TM</sup> *	7011	A	2	
Staphylococcus aureus	6538P <sup>TM</sup> *	9002	C	2	FDA Strain; susceptibility testing.
Staphylococcus aureus	43300 <sup>TM</sup> *	9022	C	2	
Staphylococcus capitis	35661 <sup>TM</sup> *	8207	B	1	
Staphylococcus epidermidis	12228 <sup>TM</sup> *	6500	B	1	FDA strain; susceptibility testing.
Staphylococcus epidermidis	14990 <sup>TM</sup> *	6501	B	1	
Staphylococcus epidermidis	49134 <sup>TM</sup> *	7017	C	2	
Staphylococcus epidermidis	29887 <sup>TM</sup> *	8209	D	1	Methicillin control for MIC testing.
Staphylococcus hominis	27844 <sup>TM</sup> *	8211	D	2	
Staphylococcus intermedius	29663 <sup>TM</sup> *	29663	D	2	
Staphylococcus lentus	700403 <sup>TM</sup> *	3	D	1	
Staphylococcus pseudintermedius	49444 <sup>TM</sup> *	49444	C	2	
Staphylococcus saprophyticus	BAA750 <sup>TM</sup> *	BAA750	D	1	
Staphylococcus saprophyticus	15305 <sup>TM</sup> *	7014	B	1	
Staphylococcus saprophyticus	35552 <sup>TM</sup> *	8213	D	1	
Staphylococcus saprophyticus	49453 <sup>TM</sup> *	8214	D	1	

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

28

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.



# Microorganisms



Description	ATCC ®	Order #	Price Code	Biosafety Level	Additional Details
Staphylococcus saprophyticus	49907™*	9020	D	1	
Staphylococcus sciuri	29060™*	7012	C	1	
Staphylococcus sciuri	29061™*	29061	D	1	
Staphylococcus xylosus	49148™*	7018	D	2	
Staphylococcus xylosus	29971™*	6502	D	2	
Staphylococcus xylosus	29967™*	6504	D	2	
Staphylococcus xylosus	35663™*	6505	D	2	
Staphylococcus xylosus	700404™*	0004	D	1	
Stenotrophomonas maltophilia	13637™*	7067	B	1	
Stenotrophomonas maltophilia	51331™*	0001	D	1	
Streptococcus agalactiae	CL 810™*	7005	D	2	Derived from clinical strain
Streptococcus agalactiae	13813™*	8250	B	2	Group B.
Streptococcus agalactiae	27956™*	0436	B	2	
Streptococcus agalactiae	12386™*	7027	C	2	Group B
Streptococcus anginosus	33397™*	33397	D	2	
Streptococcus bovis	35034™*	7083	C	1	
Streptococcus dysgalactiae	35666™*	8217	C	2	subsp. equisimilis
Streptococcus dysgalactiae	12388™*	7035	B	2	Group C
Streptococcus dysgalactiae	12394™*	8219	C	2	Group G. Large colony form.
Streptococcus equi subsp. equi	9528™*	1001	C	2	
Streptococcus equi subsp. zooepidemicus	700400™*	0000	C	2	
Streptococcus gallolyticus	49147™*	7078	C	1	
Streptococcus gallolyticus	9809™*	7025	C	1	
Streptococcus gallolyticus AmMS 236	49475™*	8175	D	1	
Streptococcus mitis	6249™*	0423	C	2	
Streptococcus mutans	25175™*	25175	C	1	
Streptococcus mutans	35668™*	7002	C	1	
Streptococcus oralis	9811™*	8220	C	2	
Streptococcus pasteurianus AmMS 207	49133™*	7079	C	1	
Streptococcus pneumoniae	49150™*	6901	B	2	
Streptococcus pneumoniae	49136™*	7004	C	2	
Streptococcus pneumoniae	6305™*	7024	C	2	
Streptococcus pneumoniae	27336™*	7033	B	2	Rough phase. Derived from Type 2.
Streptococcus pneumoniae	6303™*	8221	C	2	Type 3.
Streptococcus pneumoniae	49619™*	9015	D	2	Penicillin resistant.
Streptococcus pyogenes	19615™*	7000	B	2	Group A.
Streptococcus pyogenes	12384™*	0979	B	2	
Streptococcus salivarius	13419™*	13419	D	1	
Streptococcus sanguis	10556™*	7023	C	2	Type 1.
Streptococcus sp. Group D	27284™*	7034	D	2	Group D
Streptococcus sp. Group F	12392™*	8218	D	2	Type 2
Streptococcus uberis	700407™*	0007	D	1	
Streptomyces somaliensis	33201™*	9105	D	2	
Tannerella forsythensis	700191™*	700191	D	2	
Trichophyton mentagrophytes	9533™*	8300	D	2	Germicide testing.
Trichophyton rubrum	28188™*	8301	D	2	Evaluation of Dermatophyte Test Medium
Vibrio parahaemolyticus	17802™*	9000	D	2	
Yarrowia lipolytica	9773™*	9003	D	1	
Yersinia enterocolitica	9610™*	9018	D	2	
Yersinia enterocolitica	23715™*	7076	C	2	
Yersinia kristensenii	33639™*	9021	D	2	
Zygosaccharomyces rouxii	28253™*	28253	D	1	

Phone: 800-477-4763

Fax: 859-253-1476

email: [customerservice@gibsonlabs.com](mailto:customerservice@gibsonlabs.com)

29

\*The ATCC Licensed Derivative Emblem, the ATCC Licensed Derivative word mark and the ATCC catalog marks are trademarks of ATCC. Gibson Laboratories, LLC. is licensed to use these trademarks and to sell products derived from ATCC cultures.

